

CSCI567 Machine Learning (Fall 2020)

Prof. Haipeng Luo

U of Southern California

Sep 17, 2020

1 / 49

Outline

- 1 Review of Last Lecture
- 2 Multiclass Classification
- 3 Neural Nets

3 / 49

Administration

HW1 is being graded. Will discuss solutions today.

HW2 will be released after this lecture. Due on 9/29.

2 / 49

Review of Last Lecture

Outline

- 1 Review of Last Lecture
- 2 Multiclass Classification
- 3 Neural Nets


4 / 49

Summary

Linear models for **binary** classification:

Step 1. Model is the set of **separating hyperplanes**

$$\mathcal{F} = \{f(\mathbf{x}) = \text{sgn}(\mathbf{w}^T \mathbf{x}) \mid \mathbf{w} \in \mathbb{R}^D\}$$



5 / 49

Step 3. Find empirical risk minimizer (ERM):


$$\mathbf{w}^* = \underset{\mathbf{w} \in \mathbb{R}^D}{\text{argmin}} F(\mathbf{w}) = \underset{\mathbf{w} \in \mathbb{R}^D}{\text{argmin}} \frac{1}{N} \sum_{n=1}^N \ell(y_n \mathbf{w}^T \mathbf{x}_n)$$

using

- **GD:** $\mathbf{w} \leftarrow \mathbf{w} - \eta \nabla F(\mathbf{w})$
- **SGD:** $\mathbf{w} \leftarrow \mathbf{w} - \eta \tilde{\nabla} F(\mathbf{w})$
- **Newton:** $\mathbf{w} \leftarrow \mathbf{w} - (\nabla^2 F(\mathbf{w}))^{-1} \nabla F(\mathbf{w})$

7 / 49

Step 2. Pick the **surrogate loss**



- **perceptron loss** $\ell_{\text{perceptron}}(z) = \max\{0, -z\}$ (used in Perceptron)
- **hinge loss** $\ell_{\text{hinge}}(z) = \max\{0, 1 - z\}$ (used in SVM and many others)
- **logistic loss** $\ell_{\text{logistic}}(z) = \log(1 + \exp(-z))$ (used in logistic regression)

6 / 49


A Probabilistic view of logistic regression

Minimizing logistic loss = MLE for the sigmoid model

$$\mathbf{w}^* = \underset{\mathbf{w}}{\text{argmin}} \sum_{n=1}^N \ell_{\text{logistic}}(y_n \mathbf{w}^T \mathbf{x}_n) = \underset{\mathbf{w}}{\text{argmax}} \prod_{n=1}^N \mathbb{P}(y_n \mid \mathbf{x}_n; \mathbf{w})$$

where

$$\mathbb{P}(y \mid \mathbf{x}; \mathbf{w}) = \sigma(y \mathbf{w}^T \mathbf{x}) = \frac{1}{1 + e^{-y \mathbf{w}^T \mathbf{x}}}$$



8 / 49

Outline

- 1 Review of Last Lecture
- 2 Multiclass Classification
 - Multinomial logistic regression
 - Reduction to binary classification
- 3 Neural Nets

9 / 49

Classification

Recall the setup:

- input (feature vector): $\mathbf{x} \in \mathbb{R}^D$
- output (label): $y \in [C] = \{1, 2, \dots, C\}$
- goal: learn a mapping $f: \mathbb{R}^D \rightarrow [C]$

Examples:

- recognizing digits ($C = 10$) or letters ($C = 26$ or 52)
- predicting weather: sunny, cloudy, rainy, etc
- predicting image category: ImageNet dataset ($C \approx 20K$)

Nearest Neighbor Classifier naturally works for arbitrary C .

10 / 49

Linear models: from binary to multiclass

Step 1: *What should a linear model look like for multiclass tasks?*

Note: a linear model for binary tasks (switching from $\{-1, +1\}$ to $\{1, 2\}$)

$$f(\mathbf{x}) = \begin{cases} 1 & \text{if } \mathbf{w}^T \mathbf{x} \geq 0 \\ 2 & \text{if } \mathbf{w}^T \mathbf{x} < 0 \end{cases}$$

can be written as

$$f(\mathbf{x}) = \begin{cases} 1 & \text{if } \mathbf{w}_1^T \mathbf{x} \geq \mathbf{w}_2^T \mathbf{x} \\ 2 & \text{if } \mathbf{w}_2^T \mathbf{x} > \mathbf{w}_1^T \mathbf{x} \end{cases}$$


$$= \operatorname{argmax}_{k \in \{1, 2\}} \mathbf{w}_k^T \mathbf{x}$$

for any $\mathbf{w}_1, \mathbf{w}_2$ s.t. $\mathbf{w} = \mathbf{w}_1 - \mathbf{w}_2$

Think of $\mathbf{w}_k^T \mathbf{x}$ as **a score for class k** .

11 / 49

Linear models: from binary to multiclass



$$\mathbf{w} = \left(\frac{3}{2}, \frac{1}{6}\right) = \mathbf{w}_1 - \mathbf{w}_2$$


$$\mathbf{w}_1 = \left(1, -\frac{1}{3}\right)$$

$$\mathbf{w}_2 = \left(-\frac{1}{2}, -\frac{1}{2}\right)$$

- Blue class:

12 / 49

Linear models: from binary to multiclass



$$\begin{aligned} \mathbf{w}_1 &= (1, -\frac{1}{3}) \\ \mathbf{w}_2 &= (-\frac{1}{2}, -\frac{1}{2}) \\ \mathbf{w}_3 &= (0, 1) \end{aligned}$$

- Blue class:
 $\{\mathbf{x} : 1 = \operatorname{argmax}_k \mathbf{w}_k^T \mathbf{x}\}$
- Orange class:
 $\{\mathbf{x} : 2 = \operatorname{argmax}_k \mathbf{w}_k^T \mathbf{x}\}$
- Green class:
 $\{\mathbf{x} : 3 = \operatorname{argmax}_k \mathbf{w}_k^T \mathbf{x}\}$

13 / 49

Linear models for multiclass classification

$$\begin{aligned} \mathcal{F} &= \left\{ f(\mathbf{x}) = \operatorname{argmax}_{k \in [C]} \mathbf{w}_k^T \mathbf{x} \mid \mathbf{w}_1, \dots, \mathbf{w}_C \in \mathbb{R}^D \right\} \\ &= \left\{ f(\mathbf{x}) = \operatorname{argmax}_{k \in [C]} (\mathbf{W}\mathbf{x})_k \mid \mathbf{W} \in \mathbb{R}^{C \times D} \right\} \end{aligned}$$

Step 2: *How do we generalize perceptron/hinge/logistic loss?*

This lecture: focus on the more popular **logistic loss**

14 / 49

Multinomial logistic regression: a probabilistic view

Observe: for binary logistic regression, with $\mathbf{w} = \mathbf{w}_1 - \mathbf{w}_2$:

$$\mathbb{P}(y = 1 \mid \mathbf{x}; \mathbf{w}) = \sigma(\mathbf{w}^T \mathbf{x}) = \frac{1}{1 + e^{-\mathbf{w}^T \mathbf{x}}} = \frac{e^{\mathbf{w}_1^T \mathbf{x}}}{e^{\mathbf{w}_1^T \mathbf{x}} + e^{\mathbf{w}_2^T \mathbf{x}}} \propto e^{\mathbf{w}_1^T \mathbf{x}}$$

Naturally, for multiclass:

$$\mathbb{P}(y = k \mid \mathbf{x}; \mathbf{W}) = \frac{e^{\mathbf{w}_k^T \mathbf{x}}}{\sum_{k' \in [C]} e^{\mathbf{w}_{k'}^T \mathbf{x}}} \propto e^{\mathbf{w}_k^T \mathbf{x}}$$

This is called the *softmax function*.

15 / 49

Applying MLE again

Maximize probability of seeing labels y_1, \dots, y_N given $\mathbf{x}_1, \dots, \mathbf{x}_N$

$$P(\mathbf{W}) = \prod_{n=1}^N \mathbb{P}(y_n \mid \mathbf{x}_n; \mathbf{W}) = \prod_{n=1}^N \frac{e^{\mathbf{w}_{y_n}^T \mathbf{x}_n}}{\sum_{k \in [C]} e^{\mathbf{w}_k^T \mathbf{x}_n}}$$

By taking **negative log**, this is equivalent to minimizing

$$F(\mathbf{W}) = \sum_{n=1}^N \ln \left(\frac{\sum_{k \in [C]} e^{\mathbf{w}_k^T \mathbf{x}_n}}{e^{\mathbf{w}_{y_n}^T \mathbf{x}_n}} \right) = \sum_{n=1}^N \ln \left(1 + \sum_{k \neq y_n} e^{(\mathbf{w}_k - \mathbf{w}_{y_n})^T \mathbf{x}_n} \right)$$

This is the *multiclass logistic loss*, a.k.a *cross-entropy loss*.

When $C = 2$, this is the same as binary logistic loss.

16 / 49

Step 3: Optimization

Apply **SGD**: what is the gradient of

$$g(\mathbf{W}) = \ln \left(1 + \sum_{k' \neq y_n} e^{(\mathbf{w}_{k'} - \mathbf{w}_{y_n})^T \mathbf{x}_n} \right) ?$$

It's a $C \times D$ matrix. Let's focus on the k -th row:

If $k \neq y_n$:

$$\nabla_{\mathbf{w}_k} g(\mathbf{W}) = \frac{e^{(\mathbf{w}_k - \mathbf{w}_{y_n})^T \mathbf{x}_n}}{1 + \sum_{k' \neq y_n} e^{(\mathbf{w}_{k'} - \mathbf{w}_{y_n})^T \mathbf{x}_n}} \mathbf{x}_n^T = \mathbb{P}(k \mid \mathbf{x}_n; \mathbf{W}) \mathbf{x}_n^T$$

else:

$$\nabla_{\mathbf{w}_k} g(\mathbf{W}) = \frac{-\left(\sum_{k' \neq y_n} e^{(\mathbf{w}_{k'} - \mathbf{w}_{y_n})^T \mathbf{x}_n}\right)}{1 + \sum_{k' \neq y_n} e^{(\mathbf{w}_{k'} - \mathbf{w}_{y_n})^T \mathbf{x}_n}} \mathbf{x}_n^T = (\mathbb{P}(y_n \mid \mathbf{x}_n; \mathbf{W}) - 1) \mathbf{x}_n^T$$

17 / 49

SGD for multinomial logistic regression

Initialize $\mathbf{W} = \mathbf{0}$ (or randomly). Repeat:

- 1 pick $n \in [N]$ uniformly at random
- 2 update the parameters

$$\mathbf{W} \leftarrow \mathbf{W} - \eta \begin{pmatrix} \mathbb{P}(y = 1 \mid \mathbf{x}_n; \mathbf{W}) \\ \vdots \\ \mathbb{P}(y = y_n \mid \mathbf{x}_n; \mathbf{W}) - 1 \\ \vdots \\ \mathbb{P}(y = C \mid \mathbf{x}_n; \mathbf{W}) \end{pmatrix} \mathbf{x}_n^T$$

Think about why the algorithm makes sense intuitively.

18 / 49

A note on prediction

Having learned \mathbf{W} , we can either

- make a **deterministic** prediction $\operatorname{argmax}_{k \in [C]} \mathbf{w}_k^T \mathbf{x}$
- make a **randomized** prediction according to $\mathbb{P}(k \mid \mathbf{x}; \mathbf{W}) \propto e^{\mathbf{w}_k^T \mathbf{x}}$

In either case, **(expected) mistake is bounded by logistic loss**

- deterministic

$$\mathbb{I}[f(\mathbf{x}) \neq y] \leq \log_2 \left(1 + \sum_{k \neq y} e^{(\mathbf{w}_k - \mathbf{w}_y)^T \mathbf{x}} \right)$$

- randomized

$$\mathbb{E} [\mathbb{I}[f(\mathbf{x}) \neq y]] = 1 - \mathbb{P}(y \mid \mathbf{x}; \mathbf{W}) \leq -\ln \mathbb{P}(y \mid \mathbf{x}; \mathbf{W})$$

19 / 49

Reduce multiclass to binary

Is there an **even more general and simpler approach** to derive multiclass classification algorithms?

Given a binary classification algorithm (**any one**, not just linear methods), can we turn it to a multiclass algorithm, **in a black-box manner**?

Yes, there are in fact many ways to do it.

- **one-versus-all** (one-versus-rest, one-against-all, etc)
- **one-versus-one** (all-versus-all, etc)
- **Error-Correcting Output Codes** (ECOC)
- **tree-based reduction**

20 / 49

One-versus-all (OvA)

(picture credit: link)

Idea: train C binary classifiers to learn “**is class k or not?**” for each k .

Training: for each class $k \in [C]$,

- relabel examples with class k as $+1$, and all others as -1
- train a binary classifier h_k using this new dataset

		■	■	■	■
x_1 ■	\Rightarrow	x_1 —	x_1 +	x_1 —	x_1 —
x_2 ■		x_2 —	x_2 —	x_2 +	x_2 —
x_3 ■		x_3 —	x_3 —	x_3 —	x_3 +
x_4 ■		x_4 —	x_4 +	x_4 —	x_4 —
x_5 ■		x_5 +	x_5 —	x_5 —	x_5 —
		\Downarrow	\Downarrow	\Downarrow	\Downarrow
		h_1	h_2	h_3	h_4

21 / 49

One-versus-all (OvA)

Prediction: for a new example x

- ask each h_k : **does this belong to class k ?** (i.e. $h_k(x)$)
- randomly pick among all k 's s.t. $h_k(x) = +1$.

Issue: will (probably) make a mistake *as long as one of h_k errs*.

22 / 49

One-versus-one (OvO)

(picture credit: link)

Idea: train $\binom{C}{2}$ binary classifiers to learn “**is class k or k' ?**”.

Training: for each pair (k, k') ,

- relabel examples with class k as $+1$ and examples with class k' as -1
- *discard all other examples*
- train a binary classifier $h_{(k,k')}$ using this new dataset

		■ vs. ■	■ vs. ■	■ vs. ■	■ vs. ■	■ vs. ■	■ vs. ■
x_1 ■	\Rightarrow	x_1 —		x_2 —	x_1 —		x_1 —
x_2 ■			x_2 —	x_2 +			x_2 +
x_3 ■				x_3 —	x_3 +	x_3 —	
x_4 ■		x_4 —			x_4 —		x_4 —
x_5 ■		x_5 +	x_5 +			x_5 +	
		\Downarrow	\Downarrow	\Downarrow	\Downarrow	\Downarrow	\Downarrow
		$h_{(1,2)}$	$h_{(1,3)}$	$h_{(3,4)}$	$h_{(4,2)}$	$h_{(1,4)}$	$h_{(3,2)}$

23 / 49

One-versus-one (OvO)

Prediction: for a new example x

- ask each classifier $h_{(k,k')}$ to **vote for either class k or k'**
- predict the class with the most votes (break tie in some way)

More robust than one-versus-all, but *slower* in prediction.

24 / 49

Error-correcting output codes (ECOC)

(picture credit: link)

Idea: based on a code $M \in \{-1, +1\}^{C \times L}$, train L binary classifiers to learn “is bit b on or off”.

Training: for each bit $b \in [L]$

- relabel example x_n as $M_{y_n, b}$
- train a binary classifier h_b using this new dataset.

M	1	2	3	4	5
■	+	-	+	-	+
■	-	-	+	+	+
■	+	+	-	-	-
■	+	+	+	+	-

	1	2	3	4	5
x_1 ■	x_1 -	x_1 -	x_1 +	x_1 +	x_1 +
x_2 ■	x_2 +	x_2 +	x_2 -	x_2 -	x_2 -
x_3 ■	x_3 +	x_3 +	x_3 +	x_3 +	x_3 -
x_4 ■	x_4 -	x_4 -	x_4 +	x_4 +	x_4 +
x_5 ■	x_5 +	x_5 -	x_5 +	x_5 -	x_5 +
	\Downarrow	\Downarrow	\Downarrow	\Downarrow	\Downarrow
	h_1	h_2	h_3	h_4	h_5

25 / 49

Error-correcting output codes (ECOC)

Prediction: for a new example x

- compute the **predicted code** $c = (h_1(x), \dots, h_L(x))^T$
- predict the class with the **most similar code**: $k = \arg\max_k (Mc)_k$

How to design the code M ?


- the more **dissimilar** the codes, the more robust
 - if any two codes are d bits away, then prediction can tolerate about $d/2$ errors
- random code** is often a good choice

26 / 49

Tree based method

Idea: train $\approx C$ binary classifiers to learn “belongs to which half?”.

Training: see pictures



Prediction is also natural, **but is very fast!** (think ImageNet where $C \approx 20K$)

27 / 49

Comparisons

In big O notation,

Reduction	#training points	test time	remark
OvA	CN	C	not robust
OvO	CN	C^2	can achieve very small training error
ECOC	LN	L	need diversity when designing code
Tree	$(\log_2 C)N$	$\log_2 C$	good for “extreme classification”

28 / 49

Outline

1 Review of Last Lecture


2 Multiclass Classification

3 Neural Nets

- Definition
- Backpropagation
- Preventing overfitting

29 / 49

Linear models are not always adequate



We can use a nonlinear mapping as discussed:


$$\phi(x) : x \in \mathbb{R}^D \rightarrow z \in \mathbb{R}^M$$

But what kind of nonlinear mapping ϕ should be used? Can we actually learn this nonlinear mapping?

THE most popular nonlinear models nowadays: **neural nets**

30 / 49

Linear model as a one-layer neural net




$$h(a) = a \text{ for linear model}$$

To create non-linearity, can use

- Rectified Linear Unit (**ReLU**): $h(a) = \max\{0, a\}$
- sigmoid function: $h(a) = \frac{1}{1+e^{-a}}$
- TanH: $h(a) = \frac{e^a - e^{-a}}{e^a + e^{-a}}$
- many more

31 / 49

More output nodes




$$W \in \mathbb{R}^{4 \times 3}, h : \mathbb{R}^4 \rightarrow \mathbb{R}^4 \text{ so } h(a) = (h_1(a_1), h_2(a_2), h_3(a_3), h_4(a_4))$$

Can think of this as a nonlinear basis: $\Phi(x) = h(Wx)$

32 / 49

More layers



Becomes a network:

- each node is called a **neuron**
- h is called the **activation function**
 - can use $h(a) = 1$ for one neuron in each layer to *incorporate bias term*
 - output neuron can use $h(a) = a$
- #layers refers to #hidden_layers (plus 1 or 2 for input/output layers)
- **deep** neural nets can have many layers and *millions* of parameters
- this is a **feedforward, fully connected** neural net, there are many variants

33 / 49

How powerful are neural nets?

Universal approximation theorem (Cybenko, 89; Hornik, 91):

A feedforward neural net with a single hidden layer can approximate any continuous functions.


It might need a huge number of neurons though, and *depth helps!*

Designing network architecture is important and very complicated

- for feedforward network, need to decide number of hidden layers, number of neurons at each layer, activation functions, etc.

34 / 49

Math formulation



An L-layer neural net can be written as

$$f(x) = h_L(W_L h_{L-1}(W_{L-1} \cdots h_1(W_1 x)))$$

To ease notation, for a given input x , define recursively

$$o_0 = x, \quad a_\ell = W_\ell o_{\ell-1}, \quad o_\ell = h_\ell(a_\ell) \quad (\ell = 1, \dots, L)$$

where

- $W_\ell \in \mathbb{R}^{D_\ell \times D_{\ell-1}}$ is the weights between layer $\ell - 1$ and ℓ
- $D_0 = D, D_1, \dots, D_L$ are numbers of neurons at each layer
- $a_\ell \in \mathbb{R}^{D_\ell}$ is input to layer ℓ
- $o_\ell \in \mathbb{R}^{D_\ell}$ is output to layer ℓ
- $h_\ell : \mathbb{R}^{D_\ell} \rightarrow \mathbb{R}^{D_\ell}$ is activation functions at layer ℓ

35 / 49

Learning the model

No matter how complicated the model is, our goal is the same: minimize

$$\mathcal{E}(W_1, \dots, W_L) = \frac{1}{N} \sum_{n=1}^N \mathcal{E}_n(W_1, \dots, W_L)$$

where

$$\mathcal{E}_n(W_1, \dots, W_L) = \begin{cases} \|f(x_n) - y_n\|_2^2 & \text{for regression} \\ \ln \left(1 + \sum_{k \neq y_n} e^{f(x_n)_k - f(x_n)_{y_n}} \right) & \text{for classification} \end{cases}$$

36 / 49

How to optimize such a complicated function?

Same thing: apply **SGD**! even if the model is *nonconvex*.

What is the gradient of this complicated function?

Chain rule is the only secret:

- for a composite function $f(g(w))$

$$\frac{\partial f}{\partial w} = \frac{\partial f}{\partial g} \frac{\partial g}{\partial w}$$

- for a composite function $f(g_1(w), \dots, g_d(w))$

$$\frac{\partial f}{\partial w} = \sum_{i=1}^d \frac{\partial f}{\partial g_i} \frac{\partial g_i}{\partial w}$$


the simplest example $f(g_1(w), g_2(w)) = g_1(w)g_2(w)$

37 / 49

Computing the derivative

Drop the subscript ℓ for layer for simplicity.

Find the **derivative of \mathcal{E}_n w.r.t. to w_{ij}**



$$\frac{\partial \mathcal{E}_n}{\partial w_{ij}} = \frac{\partial \mathcal{E}_n}{\partial a_i} \frac{\partial a_i}{\partial w_{ij}} = \frac{\partial \mathcal{E}_n}{\partial a_i} \frac{\partial (w_{ij} o_j)}{\partial w_{ij}} = \frac{\partial \mathcal{E}_n}{\partial a_i} o_j$$


$$\frac{\partial \mathcal{E}_n}{\partial a_i} = \frac{\partial \mathcal{E}_n}{\partial o_i} \frac{\partial o_i}{\partial a_i} = \left(\sum_k \frac{\partial \mathcal{E}_n}{\partial a_k} \frac{\partial a_k}{\partial o_i} \right) h'_i(a_i) = \left(\sum_k \frac{\partial \mathcal{E}_n}{\partial a_k} w_{ki} \right) h'_i(a_i)$$

38 / 49

Computing the derivative

Adding the subscript for layer:

$$\frac{\partial \mathcal{E}_n}{\partial w_{\ell, ij}} = \frac{\partial \mathcal{E}_n}{\partial a_{\ell, i}} o_{\ell-1, j}$$



$$\frac{\partial \mathcal{E}_n}{\partial a_{\ell, i}} = \left(\sum_k \frac{\partial \mathcal{E}_n}{\partial a_{\ell+1, k}} w_{\ell+1, ki} \right) h'_{\ell, i}(a_{\ell, i})$$

For the last layer, for square loss

$$\frac{\partial \mathcal{E}_n}{\partial a_{L, i}} = \frac{\partial (h_{L, i}(a_{L, i}) - y_{n, i})^2}{\partial a_{L, i}} = 2(h_{L, i}(a_{L, i}) - y_{n, i}) h'_{L, i}(a_{L, i})$$

Exercise: try to do it for logistic loss yourself.

39 / 49

Computing the derivative

Using **matrix notation** greatly simplifies presentation and implementation:

$$\frac{\partial \mathcal{E}_n}{\partial \mathbf{W}_\ell} = \frac{\partial \mathcal{E}_n}{\partial \mathbf{a}_\ell} \mathbf{o}_{\ell-1}^T$$

$$\frac{\partial \mathcal{E}_n}{\partial \mathbf{a}_\ell} = \begin{cases} \left(\mathbf{W}_{\ell+1}^T \frac{\partial \mathcal{E}_n}{\partial \mathbf{a}_{\ell+1}} \right) \circ \mathbf{h}'_\ell(\mathbf{a}_\ell) & \text{if } \ell < L \\ 2(\mathbf{h}_L(\mathbf{a}_L) - \mathbf{y}_n) \circ \mathbf{h}'_L(\mathbf{a}_L) & \text{else} \end{cases}$$

where $\mathbf{v}_1 \circ \mathbf{v}_2 = (v_{11}v_{21}, \dots, v_{1D}v_{2D})$ is the element-wise product (a.k.a. Hadamard product).

Verify yourself!

40 / 49

Putting everything into SGD

The **backpropagation** algorithm (**Backprop**)

Initialize W_1, \dots, W_L . Repeat:

- 1 randomly pick one data point $n \in [N]$
- 2 **forward propagation**: for each layer $\ell = 1, \dots, L$
 - compute $a_\ell = W_\ell o_{\ell-1}$ and $o_\ell = h_\ell(a_\ell)$ ($o_0 = x_n$)
- 3 **backward propagation**: for each $\ell = L, \dots, 1$
 - compute

$$\frac{\partial \mathcal{E}_n}{\partial a_\ell} = \begin{cases} \left(W_{\ell+1}^T \frac{\partial \mathcal{E}_n}{\partial a_{\ell+1}} \right) \circ h'_\ell(a_\ell) & \text{if } \ell < L \\ 2(h_L(a_L) - y_n) \circ h'_L(a_L) & \text{else} \end{cases}$$

- update weights

$$W_\ell \leftarrow W_\ell - \eta \frac{\partial \mathcal{E}_n}{\partial W_\ell} = W_\ell - \eta \frac{\partial \mathcal{E}_n}{\partial a_\ell} o_{\ell-1}^T$$

Think about how to do the last two steps properly!

41 / 49

More tricks to optimize neural nets

Many variants based on backprop

- SGD with **minibatch**: randomly sample a batch of examples to form a stochastic gradient
- SGD with **momentum**
- ...

42 / 49

SGD with momentum

Initialize w_0 and **velocity** $v = 0$

For $t = 1, 2, \dots$

- form a stochastic gradient g_t
- update velocity $v \leftarrow \alpha v - \eta g_t$ for some discount factor $\alpha \in (0, 1)$
- update weight $w_t \leftarrow w_{t-1} + v$

Updates for first few rounds:

- $w_1 = w_0 - \eta g_1$
- $w_2 = w_1 - \alpha \eta g_1 - \eta g_2$
- $w_3 = w_2 - \alpha^2 \eta g_1 - \alpha \eta g_2 - \eta g_3$
- ...

43 / 49

Overfitting

Overfitting is very likely since the models are too powerful.

Methods to overcome overfitting:


- data augmentation
- regularization
- dropout
- early stopping
- ...

44 / 49

Data augmentation

Data: the more the better. How do we get more data?

Exploit prior knowledge to add more training data



45 / 49

Regularization

L2 regularization: minimize

$$\mathcal{E}'(\mathbf{W}_1, \dots, \mathbf{W}_L) = \mathcal{E}(\mathbf{W}_1, \dots, \mathbf{W}_L) + \lambda \sum_{\ell=1}^L \|\mathbf{W}_\ell\|_2^2$$

Simple change to the gradient:


$$\frac{\partial \mathcal{E}'}{\partial w_{ij}} = \frac{\partial \mathcal{E}}{\partial w_{ij}} + 2\lambda w_{ij}$$

Introduce *weight decaying effect*

46 / 49

Dropout

Randomly delete neurons during training




Very effective, makes training faster as well

47 / 49

Early stopping

Stop training when the performance on validation set stops improving



48 / 49

Conclusions for neural nets

Deep neural networks

- are hugely popular, achieving *best performance* on many problems
- do need *a lot of data* to work well
- take *a lot of time* to train (need GPUs for massive parallel computing)
- take some work to select architecture and hyperparameters
- are still not well understood in theory